

Code No.	Description	Unit	Rate ₹
9.151	Providing and fixing steel roller for uPVC sliding window with necessary screws etc. complete.	each	65.00
9.152	Providing and fixing steel roller for uPVC sliding door with necessary screws etc. complete.	each	105.65
9.153	Providing and fixing steel (white power coated) crescent lock for uPVC sliding window/ door with necessary screws etc. complete.	each	123.10
9.154	Providing and fixing frame work for partitions/ wall lining etc. made of 50x50x1.6 mm hollow MS tube, placed along the walls, ceiling and floor in a grid pattern with spacing @ 60 cm centre to centre both ways (vertically & horizontally) or at required spacing near opening, with necessary welding at junctions and fixing the frame to wall/ ceiling/ floors with steel dash fasteners of 8 mm dia, 75 mm long bolt, including making provision for opening for doors, windows, electrical conduits, switch boards etc., including providing with two coats of approved steel primer etc. complete, all as per direction of Engineer-in-charge.	kg	89.15
9.155	Providing and fixing panelling or paneling and glazing in panelled or panelled and glazed shutters for doors, windows and clerestory windows (area of opening for panel inserts excluding portion inside grooves or rebated to be measured). Panelling for panelled and glazed shutters 25mm to 40mm thick: Pre-laminated with decorative lamination on both side exterior Grade - I MDF Board 12 mm thick confirming to IS:14587	sqm	1,387.00
9.156	Providing and fixing Pre-laminated medium density fibre board exterior grade (Grade-I) IS:14587:1998 marked, to frame, backing or studding with screws etc. complete (Frames, backing or studding to be paid separately).		
9.156.1	Pre-laminated with decorative lamination on both side exterior Grade - I MDF Board 12 mm thick confirming to IS:14587	sqm	958.40
9.156.2	Pre-laminated with decorative lamination on both side exterior Grade - I MDF Board 18 mm thick confirming to IS:14587	sqm	1,241.40
9.157	Providing and fixing Pre-laminated medium density fibre board IS: 14587:1998 marked, with one side decorative lamination other side balancing lamination Grade-I(exterior grade) in shelves with screws and fittings wherever required, edges to be sealed with PVC edge bending tape 2.00 mm thick of approved brand (fittings to be paid separately).		
9.157.1	Pre-laminated with decorative lamination one side and other side balancing lamination exterior Grade - I MDF Board 18 mm thick confirming to IS:14587	sqm	1,355.45
9.157.2	Pre-laminated with decorative lamination one side and other side balancing lamination exterior Grade - I MDF Board 25 mm thick confirming to IS:14587	sqm	1,770.05
9.158	Providing and fixing in wall lining medium density fibre board IS: 14587:1998 marked, Pre-laminated one side decorative lamination and other side balancing lamination, with necessary fixing arrangement and screws etc. complete.		
9.158.1	12 mm thick.	sqm	994.15

Code No.	Description	Unit	Rate ₹
	§ 158.2 18 mm thick.	sqm	1,274.50
	§ 158.3 25 mm thick.	sqm	1,705.70
§ 159	Providing and fixing 25mm thick pre-laminated medium density fibre board exterior grade (Grade-I) IS:1457:1998 marked one side decorative and other side balancing lamination for cupboard shutters edges to be sealed with PVC edge bending tape 2.00 mm thick of approved brand including ISI marked nickel plated bright finishing M.S. piano hinges IS:3818 marked with necessary screws complete.	sqm	1,824.05
§ 160	Providing and fixing skirting with Pre-laminated medium density fibre board exterior grade (Grade-I) IS: 1457:1998 marked, (one side decorative and other side balancing lamination) with necessary fixing arrangements and screws, including drilling necessary holes for cast plugs etc. and edges to be sealed with PVC edge bending tape 2.00 mm thick of approved brand complete.		
	§ 160.1 18 mm thick.	sqm	1,629.30
	§ 160.2 25 mm thick.	sqm	2,060.50

Basis RVC in 154 2013

Code No.	Description	Unit	Rate
247	Nickel Chromium Brass outboard lock 75 mm size	each	110.00
248	Ply wood 5 ply with teak ply on both faces 8 mm thick	sqm	1330.00
249	Ply wood 5 ply with teak ply on one face and commercial ply on another face 8 mm thick	sqm	840.00
250	Ply wood 7 ply with teak ply on one face and commercial ply on another face 8 mm thick	sqm	920.00
251	Pre-laminated with decorative lamination on both side exterior Grade - I MDF Board 12 mm thick conforming to IS:14587	sqm	691.90
252	Pre-laminated with decorative lamination on both side exterior Grade - I MDF Board 18 mm thick conforming to IS:14587	sqm	922.50
253	Pre-laminated with decorative lamination one side and other side balancing lamination exterior Grade - I MDF Board 25 mm thick conforming to IS:14587	sqm	1198.15
254	Pre-laminated with decorative lamination one side and other side balancing lamination exterior Grade - I MDF Board 12 mm thick conforming to IS:14587	sqm	641.25
255	Pre-laminated with decorative lamination one side and other side balancing lamination exterior Grade - I MDF Board 18 mm thick conforming to IS:14587	sqm	860.65
249	PVC edge banding tape 2.00 mm thick	metre	28.55
256	Extra for selected planks of second class deodar wood	10-cu dm	100.00
254	Kiln seasoning of timber	cu m	720.00
255	Hollock wood n planks	10-cu dm	370.00
701	Brass 100mm mortice latch and lock with 5 levers without pair of handles	each	250.00
702	Pair of Anodised Aluminium lever handles for 100 mm mortice latch and lock	each	315.00
718	Joint tape roll	roll	145.00
719	Dash fastener / Chemical fastener	each	15.00
721	Primer (for gypsum board)	litre	65.00
723	Chromium plated brackets (curtain rods)	each	7.00
725	Galvanized wire mesh of average width of aperture 1.4 mm and nominal dia of wire 0.63 mm	sqm	250.00
727	Frosted glass sheet of nominal thickness 4 mm (weighting not less than 12 kg/sqm)	sqm	330.00
728	Nickel plated M.S. pipe 25 mm dia	metre	80.00
729	Nickel plated M.S. pipe 20 mm dia	metre	70.00
730	Nickel plated M.S. Brackets for curtain rod 20 mm	each	7.00
731	Nickel plated M.S. - Brackets for curtain rod 25 mm	each	8.00